



WITHOUT WHEEL ALIGNER

## BBFAS 415

Beissbarth BB FAS 415 - the flexible front camera calibration device for multi-brand system solutions

Article number: 8 900 380 008

## Description

### Front camera calibration with BBFAS 415 calibration device: Flexible, easy and precise

- static calibration of cameras e.g. Lane departure cameras, multifunction cameras
- Wide vehicle coverage through optional calibration Targets
- Fast, easy alignment to the vehicle's symmetrical axis or on to ground markings
- Alignment on to the vehicles track-width with optional accessories possible at any time
- Horizontal levelling according to precision spirit levels via three height-adjustable feet
- Precision crossbeam with slidingplate and fine adjusting screw
- Magnetic holding fixture for multi-brand calibration plates
- High power line laser module with low laser class (1M). Green laser diodes are particularly well visible to the human eye because the eye has its maximum spectral sensitivity in the green range.
- Optional: Compact storage box for modular calibration boards

Note: For adjusting the driver assistance systems, an OBD diagnostic device is also required

### Scope of delivery:

- Precision crossbar with 2 magnetic sliding-plates for mounting of calibration Targets
- 4-wheel trolley with stable column for holding the crossbar
- Line laser module for aligning the calibration device
- Ruler for height adjustment

Note: Necessary calibration targets are not included

## Technical Data

Weight	51 kg
Packaging length	2120 mm
Packaging width	620 mm
Packaging height	580 mm
Gross weight	51 kg

## Accessories

1 690 381 217	Target storage box empty
8 900 381 001	Multi-Target starter kit 1
8 900 381 002	Multi-Target starter kit 2
8 900 381 005	Distance measurement laser for BB FAS 415
8 900 381 138	P-Assist
8 900 381 292	Positioning target
8 900 381 139	Calibration target set Nissan type 1
8 900 381 140	Calibration target set Nissan type 2
8 900 381 142	Calibration target set Universal type 2
8 900 381 143	Calibration target set Honda type 1
8 900 381 218	Calibration target set Mitsubishi type 1

8 900 381 234	Calibration target set Mazda type 2
8 900 382 287	Calibration target Toyota type 1
8 900 382 297	Calibration target Honda type 2
8 900 382 312	Calibration target Mercedes/Infinity type 1
8 900 382 316	Calibration target Kia / Hyundai type 3
8 900 382 318	Calibration target Mazda type 1
8 900 382 319	Calibration target Mercedes / Infinity type 2
8 900 382 320	Calibration target Kia / Hyundai type 2
8 900 382 328	Calibration target Toyota type 2
8 900 382 349	Calibration target Honda type 3
8 900 382 355	Calibration target Toyota type 3
8 900 382 571	Calibration target Universal type 6S
8 900 382 590	Calibration target Subaru type 3S
8 900 382 608	Calibration target Subaru type 2S